Notic of Allowability	Application No.	Applicant(s)
	10/043,647	GADGIL ET AL.
	Examiner	Art Unit
	Christopher M. Kalivoda	2881
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to After Final Amendment received May 20, 2004.		
2. The allowed claim(s) is/are 1,3-13,15 and 16.		
3. The drawings filed on 10 January 2002 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Dat 08), 7. ☐ Examiner's Amendr	te

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1, 3-13, 15 and 16 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: The Applicant filed an After Final Amendment received on May 20, 2004. In view of the amended claims, Applicant's arguments are persuasive. Regarding independent claims 1 and 13, a review of prior art failed to make obvious, disclose or fairly suggest an ultraviolet water disinfector comprising a feed-water delivery system adapted to connect to a household tap wherein the water is driven by gravity at a flow rate of 8 liters per minute or less and with an air-suspended UV lamp capable of providing narrowband UV radiation sufficient to inactivate Cryptosporidium parvum oocysts in addition to the features of the accompanying claims.

Claims 3-12 and 15-16 are allowed by virtue of their dependence upon claims 1 and 13 respectively.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/043,647

Art Unit: 2881

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. U.S. Patent 6,258,265 to Jones describes a water purification system. The system includes the use of UV to kill cryptosporidum but is not air suspended and lacks other features of the independent claims.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher M. Kalivoda whose telephone number is (571) 272-2476. The examiner can normally be reached on Monday - Friday (8:30 -5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John R. Lee can be reached on (571) 272-2477. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

4. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AU 2881 June 1, 2004

Nikita WELLS
PRIMARY EXAMINER 06/02/04

Page 3